

Medicine Creek Analytics Certificate of Analysis

3700 Pacific HWY E, Ste 400, Fife, WA 98424
 WA State I502 Certification 0018 | ISO 17025 91428 | Accreditation #91428

Sample Harvest #53



#COC/INVOICE: 855-20

Laboratory ID 200618-015	Matrix Flower	Batch ID WAJ412752.BAOJMZ	Inventory ID WAJ412752.INKNSGV
Tested for Washington Bud Company			
Sampled -	Received Jun 18, 2020	Reported Jun 24, 2020	
Analyses executed PES, MET			

PES - Pesticides Screening Analysis

Analyzed Jun 22, 2020 | Instrument LCMS 8050

Analyte	LOD ppm	LOQ ppm	Result PPM	WRL PPM	Analyte	LOD ppm	LOQ ppm	Result PPM	WRL PPM
3-Hydroxycarbofuran	0.075	0.25	<LOD	0.2	Abamectin B1a	0.15	0.45	<LOD	0.5
Acephate	0.1	0.3	<LOD	0.4	Acetamiprid	0.033	0.1	<LOD	0.2
Aldicarb Sulfone	0.05	0.2	<LOD	0.4	Aldicarb	0.075	0.25	<LOD	0.4
Aminocarb	0.033	0.1	<LOD	0.1	Azoxystrobin	0.05	0.2	<LOD	0.2
Benalaxyl	0.05	0.15	<LOD	0.1	Bifenthrin	0.05	0.2	<LOD	0.2
Bifenazate	0.05	0.2	<LOD	0.2	Boscalid			<LOD	0.4
Butafenacil	0.05	0.15	<LOD	0.1	Carbaryl	0.05	0.2	<LOD	0.2
Carbetamide	0.05	0.15	<LOD	0.1	Carbofuran	0.05	0.15	<LOD	0.2
Carboxin	0.05	0.15	<LOD	0.1	Carfentrazone-ethyl	0.05	0.2	<LOD	0.1
Chlorantraniliprole	0.075	0.25	<LOD	0.2	Chlorotoluron	0.05	0.2	<LOD	0.1
Chloroxuron	0.05	0.15	<LOD	0.1	Chlorpyrifos	0.075	0.25	<LOD	0.2
Clofentezine			<LOD	0.2	Clothianidin	0.05	0.15	<LOD	0.1
Cyazofamid	0.05	0.15	<LOD	0.1	Cycluron	0.05	0.15	<LOD	0.1
Diazinon	0.05	0.2	<LOD	0.2	Dicrotophos	0.05	0.15	<LOD	0.1
Diethofencarb	0.05	0.15	<LOD	0.1	Dimethoate	0.05	0.2	<LOD	0.2
Dimethomorph	0.05	0.2	<LOD	0.1	Dimoxystrobin	0.05	0.15	<LOD	0.1
Diuron	0.1	0.3	<LOD	0.1	Epoxiconazole	0.075	0.25	<LOD	0.1
Ethiofencarb	0.075	0.25	<LOD	0.1	Ethoprophos	0.1	0.4	<LOD	0.2
Etofenprox	0.04	0.125	<LOD	0.4	Etoxazole	0.05	0.2	<LOD	0.2
Fenamidone	0.05	0.15	<LOD	0.1	Fenazaquin	0.05	0.2	<LOD	0.1
Fenoxy carb	0.05	0.2	<LOD	0.2	Fenpyroximate	0.04	0.125	<LOD	0.4
Fenuron	0.033	0.1	<LOD	0.1	Fipronil	0.1	0.3	<LOD	0.4
Flonicamid			<LOD	1	Fluazinam	0.075	0.25	<LOD	0.1
Fludioxonil			<LOD	0.4	Flufenacet	0.05	0.2	<LOD	0.1
Fluometuron	0.05	0.2	<LOD	0.1	Flutolanil	0.05	0.2	<LOD	0.1
Fuberidazole	0.033	0.1	<LOD	0.1	Furalaxy	0.05	0.15	<LOD	0.1
Furathiocarb	0.05	0.2	<LOD	0.1	Hexythiazox	0.05	0.2	<LOD	1
Imazalil	0.1	0.4	<LOD	0.2	Imidacloprid	0.05	0.2	<LOD	0.4
Indoxacarb	0.05	0.2	<LOD	0.1	Iprovalicarb	0.05	0.2	<LOD	0.1
Isoprocarb	0.05	0.2	<LOD	0.1	Isoproturon	0.05	0.15	<LOD	0.1
Kresoxym-methyl	0.05	0.15	<LOD	0.4	Malathion	0.05	0.2	<LOD	0.2
Mandipropamid	0.05	0.2	<LOD	0.1	Mefenacet	0.05	0.15	<LOD	0.1
Metalaxyl	0.05	0.15	<LOD	0.2	Methabenzthiazuron	0.05	0.15	<LOD	0.1

NR Not Reported

ND Not Detected

<LOD Below Lod

NT Not Tested

LOD Limit of Detection

LOQ Limit of Quantification

DET Detected below quantitation limit

CFU/g Colony Forming Units per 1 gram

TNTC Too Numerous to Count

mg/g Milligrams per gram

ppm Parts per million

WRL Washington Regulatory Limit



Scan the QR code to verify authenticity.

Authorized Signature

Kyle Shelton
 Wed, 24 Jun 2020 15:01:31 -0700

Methamidophos	0.033	0.1	<LOD	0.1	Methiocarb			<LOD	0.2	
Methomyl	0.05	0.2	<LOD	0.4	Methoprotryne		0.05	0.2	<LOD	0.1
Methoxyfenozide	0.05	0.15	<LOD	0.1	Mexacarbate		0.033	0.1	<LOD	0.1
Monocrotophos			<LOD	0.1	Myclobutanil		0.075	0.25	<LOD	0.2
Nitenpyram	0.05	0.2	<LOD	0.1	Omethoate		0.05	0.2	<LOD	0.1
Oxadixyl	0.05	0.2	<LOD	0.1	Oxamyl		0.033	0.1	<LOD	1
Paclobutrazol	0.05	0.2	<LOD	0.4	Permethrin		0.05	0.2	<LOD	0.2
Phosmet	0.05	0.2	<LOD	0.2	Picoxytrobion		0.05	0.2	<LOD	0.1
Piperonyl Butoxide	0.05	0.15	<LOD	2	Pirimicarb		0.05	0.15	<LOD	0.1
Prometon	0.05	0.15	<LOD	0.1	Propamocarb		0.04	0.125	<LOD	0.1
Propargite	0.04	0.125	<LOD	0.1	Propoxur		0.04	0.125	<LOD	0.2
Pymetrozine	0.05	0.2	<LOD	0.1	Pyracarbolid		0.04	0.125	<LOD	0.1
Pyraclostrobin	0.05	0.15	<LOD	0.1	Pyrethrin I			<LOD	1	
Pyrethrin II			<LOD	1	Pyridaben		0.05	0.2	<LOD	0.2
Pyriproxyfen	0.05	0.15	<LOD	0.1	Quinoxifen		0.033	0.1	<LOD	0.1
Rotenone	0.05	0.2	<LOD	0.1	Spinosad A		0.05	0.2	<LOD	0.2
Spinosad D	0.05	0.2	<LOD	0.2	Spiromesifen		0.04	0.125	<LOD	0.2
Spirotetramat	0.05	0.2	<LOD	0.2	Spiroxamine		0.05	0.15	<LOD	0.4
Tebuconazole	0.05	0.2	<LOD	0.4	Tebufenozide		0.05	0.15	<LOD	0.1
Tebuthiuron	0.04	0.125	<LOD	0.1	Thiacloprid		0.05	0.15	<LOD	0.2
Thiamethoxam	0.05	0.2	<LOD	0.2	Thiobencarb		0.05	0.2	<LOD	0.1
Thiophanate-Methyl	0.05	0.15	<LOD	0.1	Tricyclazole		0.05	0.15	<LOD	0.1
Trifloxystrobin	0.04	0.125	<LOD	0.2	Triflumizole		0.05	0.15	<LOD	0.1
Uniconazole	0.075	0.25	<LOD	0.5	Vamidothion		0.033	0.1	<LOD	0.1
Zoxamide	0.05	0.2	<LOD	0.1						

MET - Heavy Metals Detection Analysis

Analyzed Jun 24, 2020 | Instrument ICP-MS

Analyte	LOD ug/5g	LOQ ug/5g	Result ug/5g	WRL ug/5g	Analyte	LOD ug/5g	LOQ ug/5g	Result ug/5g	WRL ug/5g
Arsenic (As)	0.02	0.06	1.12	10	Cadmium (Cd)	0.01	0.04	ND	4.1
Lead (Pb)	0.01	0.02	ND	6	Mercury (Hg)	0.02	0.07	ND	2

Sample photography

NR Not Reported
 ND Not Detected
 <LOD Below Lod
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 DET Detected below quantitation limit
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count
 mg/g Milligrams per gram
 ppm Parts per million
 WRL Washington Regulatory Limit



Accreditation #91428



Scan the QR code to verify authenticity.

Authorized Signature

Kyle Shelton
 Wed, 24 Jun 2020 15:01:31 -0700



 MEDICINE
CREEK
ANALYTICS

NR Not Reported
 ND Not Detected
 <LOD Below Lod
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 DET Detected below quantitation limit
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count
 mg/g Milligrams per gram
 ppm Parts per million
 WRL Washington Regulatory Limit


Medicine Creek Analytics | 3700 Pacific HWY E, Ste 400, Fife, WA 98424 | 253.382.6900 | WA State I502 Certification 0018 | ISO 17025 91428

 CANNABIS LABORATORY LIMS & ELN



Scan the QR code to verify authenticity.

Authorized Signature



Kyle Shelton
Wed, 24 Jun 2020 15:01:31 -0700

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Measurement uncertainties available upon request. Reporting limits available upon request. Results are valid for 6 months from date reported, unless otherwise indicated.