

Medicine Creek Analytics Certificate of Analysis

3700 Pacific HWY E, Ste 400, Fife, WA 98424
WA State I502 Certification 0018 | ISO 17025 91428 | Accreditation #91428



Sample: **Harvest #58**

#COC/INVOICE: **3797**

Laboratory ID **201106-001** Matrix **Flower** Batch ID **WAJ412752.BALCRUU** Inventory ID **WAJ412752.INQR32R**

Tested for **Washington Bud Company** Address **28308 15th Ave NE Ste A Arlington, WA 98223** License

Received **11/06/2020**

Reported **11/13/2020**

Analyses executed **MET, PES**

MET - Heavy Metals Detection Analysis

Pass

Analyzed **Nov 11, 2020** | Instrument **ICP-MS**

Analyte	LOD ug/5g	LOQ ug/5g	Result ug/5g	WRL ug/5g	Analyte	LOD ug/5g	LOQ ug/5g	Result ug/5g	WRL ug/5g
Arsenic (As)	0.02	0.06	3.055	10	Cadmium (Cd)	0.01	0.04	ND	4.1
Lead (Pb)	0.01	0.02	ND	6	Mercury (Hg)	0.02	0.07	ND	2

PES - Pesticides Screening Analysis

Pass

Analyzed **Nov 13, 2020** | Instrument **LC-MS/MS (ESI)**

Analyte	LOD ppm	LOQ ppm	Result ppm	WRL ppm	Analyte	LOD ppm	LOQ ppm	Result ppm	WRL ppm
3-Hydroxycarbofuran	0.075	0.25	ND	0.2	Abamectin B1a	0.15	0.45	ND	0.5
Acephate	0.1	0.3	ND	0.4	Acetamiprid	0.33	0.1	ND	0.2
Aldicarb Sulfone	0.05	0.2	ND	0.4	Aldicarb	0.075	0.25	ND	0.4
Aminocarb	0.033	0.1	ND	0.1	Azoxystrobin	0.05	0.2	ND	0.2
Benalaxyl	0.05	0.15	ND	0.1	Bifenthrin	0.05	0.2	ND	0.2
Bifenazate	0.05	0.2	ND	0.2	Boscalid			ND	0.4
Butafenacil	0.05	0.15	ND	0.1	Carbaryl	0.05	0.2	ND	0.2
Carbetamide	0.05	0.15	ND	0.1	Carbofuran	0.05	0.15	ND	0.2
Carboxin	0.05	0.15	ND	0.1	Carfentrazone-ethyl NH4	0.05	0.2	ND	0.1
Chlorantraniliprole	0.075	0.25	ND	0.2	Chlorotoluron	0.05	0.2	ND	0.1
Chloroxuron	0.05	0.15	ND	0.1	Chlorpyrifos	0.075	0.25	ND	0.2
Clofentezine			ND	0.2	Clothianidin	0.05	0.15	ND	0.1
Cyazofamid	0.05	0.15	ND	0.1	Cycluron	0.05	0.15	ND	0.1
Diazinon	0.05	0.2	ND	0.2	Diclotophos	0.05	0.15	ND	0.1
Diethofencarb	0.05	0.15	ND	0.1	Dimethoate	0.05	0.2	ND	0.2
Dimethomorph	0.05	0.2	ND	0.1	Dimoxystrobin	0.05	0.15	ND	0.1
Diuron	0.1	0.3	ND	0.1	Epoxiconazole	0.075	0.25	ND	0.1
Ethiofencarb	0.075	0.25	ND	0.1	Ethoprophos	0.1	0.4	ND	0.2
Etofenprox	0.04	0.125	ND	0.4	Etoxazole	0.05	0.2	ND	0.2
Fenamidone	0.1	0.3	ND	0.1	Fenazaquin	0.05	0.2	ND	0.1
Fenoxycarb	0.05	0.2	ND	0.2	Fenpyroximate	0.04	0.125	ND	0.4
Fenuron	0.033	0.1	ND	0.1	Fipronil	0.1	0.3	ND	0.4
Flonicamid			ND	1	Fluazinam	0.075	0.25	ND	0.1
Fludioxonil			ND	0.4	Flufenacet	0.05	0.2	ND	0.1
Fluometuron	0.05	0.2	ND	0.1	Flutolanil	0.05	0.2	ND	0.1
Fuberidazole	0.033	0.1	ND	0.1	Furalaxyl	0.05	0.15	ND	0.2

NR Not Reported
 ND Not Detected
 <LOD Below Lod
 NT Not Tested
 LOD Limit of Detection
 LOQ Limit of Quantification
 DET Detected below quantitation limit
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count
 mg/g Milligrams per gram
 ppm Parts per million
 WRL Washington Regulatory Limit



Accreditation #91428



Authorized Signature


Kyle Shelton

Kyle Shelton
 Lab Manager
 11/13/2020



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Measurement uncertainties available upon request. Reporting limits available upon request. Results are valid for 6 months from date reported, unless otherwise indicated.

Analyte	LOD ppm	LOQ ppm	Result ppm	WRL ppm	Analyte	LOD ppm	LOQ ppm	Result ppm	WRL ppm
Furathiocarb	0.05	0.2	ND	0.1	Hexythiazox	0.05	0.2	ND	1
Imazalil	0.1	0.4	ND	0.2	Imidacloprid	0.05	0.2	ND	0.4
Indoxacarb	0.05	0.2	ND	0.1	Iprovalicarb	0.05	0.2	ND	0.1
Isoprocarb	0.05	0.2	ND	0.1	Isoproturon	0.05	0.2	ND	0.1
Kresoxym-methyl	0.05	0.15	ND	0.4	Mandipropamid	0.05	0.2	ND	0.1
Mefenacet	0.05	0.15	ND	0.1	Malathion	0.05	0.2	ND	0.2
Mepronil			ND	0.1	Metalaxyl	0.05	0.15	ND	0.2
Methabenzthiazuron	0.05	0.15	ND	0.1	Methamidophos	0.033	0.1	ND	0.1
Methiocarb			ND	0.2	Methomyl	0.05	0.2	ND	0.4
Methoprotryne	0.05	0.2	ND	0.1	Methoxyfenozide	0.05	0.15	ND	0.1
Mexacarbate	0.033	0.1	ND	0.1	Monocrotophos			ND	0.1
Myclobutanil	0.075	0.25	ND	0.2	Nitenpyram	0.05	0.2	ND	0.1
Omethoate	0.05	0.2	ND	0.1	Oxadixyl	0.05	0.15	ND	0.2
Oxamyl	0.033	0.1	ND	0.1	Paclobutrazol	0.05	0.2	ND	0.4
Permethrin NH4	0.05	0.2	ND	0.2	Phosmet	0.05	0.2	ND	0.2
Picoxystrobin	0.05	0.2	ND	0.1	Piperonyl Butoxide	0.05	0.15	ND	2
Pirimicarb	0.05	0.15	ND	0.1	Prometon	0.05	0.15	ND	0.1
Propamocarb	0.04	0.125	ND	0.1	Propargite	0.04	0.125	ND	0.1
Propoxur	0.04	0.125	ND	0.2	Pymetrozine	0.05	0.2	ND	0.1
Pyracarbolid	0.04	0.125	ND	0.1	Pyraclostrobin	0.05	0.15	ND	0.1
Pyrethrin I			ND	1	Pyrethrin II			ND	1
Pyridaben	0.05	0.2	ND	0.2	Pyriproxyfen	0.05	0.15	ND	0.1
Quinoxifen	0.033	0.1	ND	0.1	Rotenone	0.05	0.2	ND	0.1
Spinosad A	0.05	0.2	ND	0.2	Spinosad D	0.05	0.2	ND	0.2
Spiromesifen	0.04	0.125	ND	0.2	Spirotetramat	0.05	0.2	ND	0.2
Spiroxamine	0.05	0.15	ND	0.4	Tebuconazole	0.05	0.2	ND	0.4
Tebufenozide	0.05	0.15	ND	0.1	Tebuthiuron	0.04	0.125	ND	0.1
Thiacloprid	0.05	0.15	ND	0.2	Thiamethoxam	0.05	0.2	ND	0.2
Thiobencarb	0.05	0.2	ND	0.1	Thiophanate-Methyl	0.05	0.15	ND	0.1
Tricyclazole	0.05	0.15	ND	0.1	Trifloxystrobin	0.04	0.125	ND	0.2
Triflumizole	0.05	0.15	ND	0.1	Uniconazole	0.075	0.25	ND	0.5
Vamidothion	0.033	0.1	ND	0.1	Zoxamide	0.05	0.2	ND	0.1



NR Not Reported
ND Not Detected
<LOD Below Lod
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
DET Detected below quantitation limit
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count
mg/g Milligrams per gram
ppm Parts per million
WRL Washington Regulatory Limit



Accreditation #91428



Authorized Signature

Kyle Shelton

Kyle Shelton
 Lab Manager
 11/13/2020



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Measurement uncertainties available upon request. Reporting limits available upon request. Results are valid for 6 months from date reported, unless otherwise indicated.